

*Soucy* 

# **S-TECH 1000G**

AN EFFECTIVE SOLUTION  
TO SAVE YOUR CROPS

Your  
*off-road*  
partner.





## BETTER MANEUVERABILITY

The S-TECH 1000G has a more compact design. This means more maneuverability for you. Turning at the end of the field has never been easier!

## MINIMAL MAINTENANCE

Thanks to its oil bath hubs, the S-TECH 1000G won't need daily maintenance. You can optimize your work time and carry out maintenance on the track system after 500 hours of work or once a year.

## EVEN MORE DURABLE

The rubber-coated UHMW-PE plastic wheels increase the service life of both wheels and tracks. The S-TECH 1000G is designed to be a fellow worker you can count on.




## TRACK SYSTEMS FOR COMBINE HARVESTERS

Having access to your fields at harvest time is crucial. With the S-TECH 1000G, you can work at your own pace, whatever the soil conditions.

## OPTIMAL FLOTATION

You can bank on optimal flotation. Even in difficult soil conditions, the track's 36 in (914 mm) width and 5,710 in<sup>2</sup> (3.68 m<sup>2</sup>) ground contact surface enable you to harvest confidently.



## QUICK AND EASY INSTALLATION

We know that when it's harvest time, every second counts! The S-TECH 1000G is easy to install. Thanks to its bolt-on design, you can switch from tires to tracks in under 3 hours, ensuring a flexible harvesting plan.


## DESIGNED WITH PERFORMANCE IN MIND

The S-TECH 1000G was built to perform throughout long hours of work. You can expect speeds of up to 17.5 mph (28 km/h) and a maximum load capacity on the field of 65,000 lbs (29,500 kg).



## TECHNICAL SPECIFICATIONS

A	36 in (914 mm)
B	114.1 in (2,899 mm)
C	68 in (1,728 mm)
D	40 in (1,016 mm)
E	28 in (711 mm)
F	14.5 in (368 mm)



Total ground contact area per kit of 2 tracks:  
5,710 in<sup>2</sup> (3.68 m<sup>2</sup>)

---

# Let's start the fieldwork *together.*

[soucy-track.com](https://soucy-track.com)



Contact Us  
Toll-Free (Canada/United States)  
**1 855 5TRACKS (1 855 587-2257)**

[service@soucy-track.com](mailto:service@soucy-track.com)

V02 – EN – 2025/11  
The information contained in this document may change without notice.  
Printed in Canada  
Soucy is registered trademark of Soucy.

**Soucy** 